


**#23503**

800VA Uninterruptible Power Supply (UPS)

Reliable 800VA battery back-up UPS with 2 wall power outlets, suitable to power and protect your electronic devices

Key features

- Reliable 800VA UPS with built-in battery
- Provides temporary battery power during power outage; prevents loss of data and damage to hardware
- 2 wall power outlets with battery and surge protection to connect your computer, computer peripherals, networking equipment, flatscreen TV, home automation products or alarm system
- Surge protected outputs to prevent damage from power surges, spikes and fluctuations
- AVR function to ensure stable 230V output voltage
- Clear audible alerts when the power goes out, so you have time to save your files and shut down your computer



What's in the box

- UPS unit
- User guide

System requirements

- Grounded wall power connection






In Safe Hands

You can rest easy, knowing that the Trust Paxxon 800VA is keeping an eye out for your devices. The reliable UPS is an ideal secondary power source to your electronics, keeping them running temporarily during power grid blackouts, and protecting them from power surge damage.

Protect Your Devices

With 2 standard wall power outlets, the Paxxon is equipped to protect whatever device or peripheral is connected to it: computer, TV, gaming console, home automation or alarm system, router or modem, or other wall-powered devices. You can connect devices up to a maximum total of 480 Watts or 800VA.



Safe Shutdown

During a blackout, the UPS' large battery generously covers the power needs of an entry-level desktop computer. With 3 minutes of runtime* to save your work and safely shut the system down, the quality of your files and equipment is guaranteed to be maintained.* At 240W capacity load

Stable Output

Thanks to the AVR function, the UPS will maintain a stable output voltage. In the event of power surges or spikes, your equipment is in safe hands. So safe, that we're offering an extended warranty of up to € 20.000 on connected equipment.**** Check conditions on trust.com



GENERAL

Height of main product (in mm)	300 mm	Width of main product (in mm)	142 mm
Depth of main product (in mm)	101 mm	Total weight	4900 g
Weight of main unit	4900 g		

OUTPUT

Output power capacity (VA)	800 W	Output power capacity (W)	480 W
Output voltage range	Nominal voltage	Frequency response UPS	50Hz +/- 1Hz
Waveform type	Simulated sine wave		

PROTECTION

Protections	Child safety shutter, current-recoil, over-charge, over-current, over-discharge, over-heat, over-load, short-circuit	Auto Voltage Regulation	True
RFI-filter	False	Surge protected AC outlets	True
Surge protected phone line	False		

POWER

Number of batteries	1	Battery composition (Alkaline, Li-ion, etc.)	Lead Acid
Power inlet connection	Schuko (Type F)	Power outlet socket type	Schuko
Battery capacity (Ah)	9 Ah	Battery voltage (V)	12 V
Number of power outlets	2	Battery charge time (hours)	8 hours
100% capacity runtime (seconds)	5 seconds	50% capacity runtime (minutes)	3 minutes

FEATURES

Management function (USB)	False	USB connection	False
Status display	False	Audible alarm	True
Software	False		

INPUT

Nominal input voltage	220-240Vac	Operating voltage range	162-290Vac
-----------------------	------------	-------------------------	------------

CONNECTIVITY

Cable detachable	False	Cable length main cable	140 cm
------------------	-------	-------------------------	--------

COMPATIBILITY

Compatible Device Types Dj gear, gaming console,
lamp, laptop, pc, smarttv,
tablet

CONTROL

Indicators Activity, Battery, Battery
empty, Charging



PRODUCT VISUAL 1



PRODUCT PICTORIAL 1



PRODUCT PICTORIAL 2



PRODUCT PICTORIAL 3



PRODUCT PICTORIAL 4



PRODUCT PICTORIAL 5



PRODUCT ESHOT 1



LIFESTYLE VISUAL 1



PRODUCT VISUAL 2



PRODUCT BACK 1



PRODUCT FRONT 1



PACKAGE VISUAL 1